



<p>REGISTERED OFFICE INDIA POWER CORPORATION LIMITED PLOT NO: X -1,2& 3 BLOCK EP, SECTOR-V,SALT LAKE CITY, KOLKATA-700091 P : +91 33 6609 4300 / 08 / 09 / 10 F : +91 33 2357 2452 CST No : 19740080255 ,VAT No : 19740080061</p>	<p>CENTRAL OFFICE : INDIA POWER CORPORATION LIMITED SANCTORIA P.O : DISHERGARH DIST , BURDWAN-713333 , W.B. P : +91 341 6600 454 / 455 / 456 / 457 F : +91 341 6600 464</p>	 
---	---	---

REQUEST FOR SERVICE OFFER

<p>TO : XXXXX</p> <p>000000 India Tel Ph. : Fax No : Contact person : Your Vendor No with us : 101105</p>	<p>Enquiry No./Collective No : 2023005936</p> <p>RFQ Date : 03.10.2023</p> <p>BID Closing Date : 10.10.2023</p>
<p>Issuing Office : India Power Corporation Limited Plot No. X ,1,2&3, Block -EP SECTOR-V Salt Lake City Kolkata West Bengal 700091 India P : +91 33 6609 4300/08/09/10 F : +91 33 2357 2452</p>	<p>Type of security Furnished, if Required</p> <p>Not Applicable</p>
<p>Site Under : India Power Corporation Limited Central Office Sanctoria Dishergarh , Burdwan West Bengal -713333 ,India P : +91 341 6600454/455/456/457 F : +91 341 6600 464</p>	<p>Contact info - MR Bibek Saha. (Assistant Manager Purchase) Tel - +913366094300 Email - bibek.saha@indiapower.com</p>



Construction of Ladies washroom at Papra Dhawra ICDS Centre Under India Power CSR initiatives FY 2023-24.

Dear Sir,
Your offer is invited for the supply of materials/providing services as per following

SL NO.	SERVICE NO.	SER. DESC	UOM	QTY	DELIVERY DATE
1	11103001	EXCAVATION - EARTH WORK FND, TRENCHES	Cubic meter	5.780	



Full Description



EXCAVATION BELOW EXISTING GROUND/GRADE LEVEL FOR FOUNDATIONS, TRENCHES, DRAINS ETC IN ALL TYPES OF ORDINARY AND HARD SOILS (INCLUDING SOILS INTERMIXED WITH BOULDERS AND SLUSHY SOILS)/ OR IN HARD ROCK BY CHISELING, INCLUDING SHORING/STRUTTING AS REQUIRED, DEWATERING WHEREVER NECESSARY, DEPOSITING, STACKING OF USEFUL MATERIALS AS REQUIRED, BACKFILLING WITH SELECTED EXCAVATED MATERIALS, COMPACTING THE BACKFILL, LOADING, TRANSPORTING AND UNLOADING SURPLUS SPOIL, AFTER BACKFILLING, TO STACK OR FILL WITHIN A



REGISTERED OFFICE INDIA POWER CORPORATION LIMITED PLOT NO: X -1,2& 3 BLOCK EP, SECTOR-V,SALT LAKE CITY, KOLKATA-700091 P : +91 33 6609 4300 / 08 / 09 / 10 F : +91 33 2357 2452 CST No : 19740080255 ,VAT No : 19740080061	CENTRAL OFFICE : INDIA POWER CORPORATION LIMITED SANCTORIA P.O : DISHERGARH DIST , BURDWAN-713333 , W.B. P : +91 341 6600 454 / 455 / 456 / 457 F : +91 341 6600 464	 
---	--	---

LEAD OF 100 MTRS INCLUDING ALL LIFTS ETC COMPLETE AND AS DIRECTED BY THE ENGINEER. DEPTH OF EXCAVATION MEASURED FROM GRADE/EXISTING GROUND LEVEL.

2	11103002	EXCAVATION - SAND FILLING	Cubic meter	0.960	
<p>Full Description PROVIDING AND FILLING APPROVED QUALITY SAND AROUND, BELOW OR WITHIN FOUNDATION/TRENCHES ETC INCLUDING COMPACTION BY FLOODING IN LAYERS OF 150 MM WITH ALL LEADS AND LIFTS AND AS DIRECTED</p>					
3	11101012	Brick Flat Soling	Square meter	9.830	
<p>Full Description Single brick flat soling of picked jhama bricks including ramming and dressing bed to proper level and filling joints with powered earth or local sand including cost of sand and earth.</p>					
4	11102001	PCC(1:3:6) IN LEVELING, FOUNDATION PITS,	Cubic meter	0.910	
<p>Full Description PROVIDING AND LAYING PLAIN CEMENT CONCRETE (1:3:6) IN LEVELING COARSE/FILL UNDER OR AROUND FOUNDATIONS, PITS, SLABS ON GRADE ETC WITH 40 MM DOWN GRADED COARSE AGGREGATES INCLUDING CURING, VIBRATING, FORMWORK AS REQUIRED, DEWATERING WHEREVER NECESSARY ETC COMPLETE AND AS DIRECTED.</p>					
5	11102003	RCC(1:2:4), M15 GR, 20 MM DOWN AGGR.	Cubic meter	0.880	
<p>Full Description PROVIDING AND PLACING IN POSITION REINFORCED CEMENT CONCRETE FOR CONCRETE GRADE M15 (1:2:4) WITH 20 MM DOWNGRADED COARSE AGGREGATES FOR SLAB ON GRADE, SILLS, COPINGS AND OTHER MISC. ITEMS NOT SPECIFICALLY MENTIONED ABOVE, INCLUDING PROVIDING, ERECTING AND REMOVING FORMWORK FOR CONCRETE WORKS AT ALL ELEVATIONS AND FOR ALL SHAPES, INCLUDING SCAFFOLDING, CENTERING, BRACING, PROVIDING OPENING/ CUTOUTS/ POCKETS ETC, TO GIVE FAIR AND SMOOTH FINISH FOR EXPOSED CONCRETE SURFACES USING SHEETING FORMED FROM TONGUED AND GROOVED BOARDS/ PLYWOOD/ STEEL SHEETS AT ALL LEVELS INCLUDING VIBRATING, CURING, DEWATERING, WHEREVER NECESSARY, PROVIDING CONSTRUCTION JOINTS, BUT EXCLUDING COST OF PROVIDING REINFORCEMENT, ALL AS PER SPECIFICATION AND AS DIRECTED BY THE ENGINEER.</p>					
6	11101003	BRICK MASONRY, 250 MM TH.	Cubic	7.980	



REGISTERED OFFICE INDIA POWER CORPORATION LIMITED PLOT NO: X -1,2& 3 BLOCK EP, SECTOR-V,SALT LAKE CITY, KOLKATA-700091 P : +91 33 6609 4300 / 08 / 09 / 10 F : +91 33 2357 2452 CST No : 19740080255 ,VAT No : 19740080061		CENTRAL OFFICE : INDIA POWER CORPORATION LIMITED SANCTORIA P.O : DISHERGARH DIST , BURDWAN-713333 , W.B. P : +91 341 6600 454 / 455 / 456 / 457 F : +91 341 6600 464		 	
		(1:4)	meter		
<p>Full Description</p> <p>PROVIDING AND LAYING BRICK MASONRY OF 250 MM THICK AND ABOVE IN CEMENT MORTAR 1:4 USING APPROVED QUALITY LOCALLY AVAILABLE FIRST CLASS BRICKS IN FOUNDATIONS AND IN WORKS BELOW PLINTH/GRADE LEVEL AND IN SUPERSTRUCTURE AT ALL LEVELS, INCLUDING SCAFFOLDING WHERE NECESSARY, CURING, RAKING JOINTS ETC COMPLETE AND AS DIRECTED.</p>					
7	11101004	BRICK MASONRY, 125 MM TH. (1:4)	Square meter	2.880	
<p>Full Description</p> <p>PROVIDING AND LAYING 125 MM THICK BRICK MASONRY WALLS IN CEMENT MORTAR 1:4 INCLUDING PROVIDING RCC MULLIONS AND TRANSOMS USING APPROVED QUALITY LOCALLY AVAILABLE FIRST CLASS BRICKS.</p>					
8	11108094	SUPLY. FIXING, PVC DOORS	Square meter	3.150	
<p>Full Description</p> <p>PROVIDING AND FIXING 30MM THICK BOTH SIDE PRELAMINATED FACTORY MADE SOLID PANEL PVC DOOR SHUTTER CONSISTING OF OUTER FRAME MADE OUT OF M.S. TUBES OF 19 GUAGE THICKNESS AND SIZE 19MM X 19MM FOR STYLE, TOP AND BOTTOM RAILS, M.S. FRAME SHALL HAVE COST OF STEEL PRIMERS OF APPROVED MAKE AND MANUFACTURE, M.S. FRAME COVERED WITH 5 MM THICK HEAT MODULATED PVC" C" CHANNEL OF SIZE 30MM TH, 70 MM WIDTH OUT OF WHICH 50MM SHALL BE FLAT AND 20MM SHALL BE TAPERED IN 45 DEGREE ANGLE ON EITHER SIDES FORMING STYLES, AND 5MM TH, 95 MM WIDE PVC SHEET OUT WHICH 75MM SHALL BE FLAT AND 20MM TAPERED IN 45 DEGREE ON THE INNER SIDE TO FORM TOP & BOTTOM RAIL AND 115 MM WIDE PVC SHEET OUT OF WHICH 75 MM SHALL BE FLAT AND 20 MM SHALL BE TAPERED ON BOTH SIDESTO FORM LOCK RAIL, TOP BOTTOM AND LOCK RAILS SHALL BE PROVIDED EITHER SIDE OF THE PANEL WITH 10MM(5MM X 2) TH, 20MM WIDECROSS PVC SHEET AS GAP INSERT FOR TOP RAIL AND BOTTOM RAILSHEET TO BE FITTED IN THE M.S. FRAME WELDED/SEALED TO THE STYLES & RAILS WITH 7MM (5MM + 2MM) TH X 15MM WIDE PVC SHUTTER BEADING ON INNER SIDE AND JOINTED TOGETHER WITH SOLVENT CEMENT ADHESIVE ETC. COMPLETE EXCLUDING ALL NECESSARY HARDWARES AS PER DIRECTION OF ENGINEER -IN - CHARGE.</p>					
9	11102008	CEMENT PLASTER, SAND FACED, 20MM (1:4)	Square meter	48.160	
<p>Full Description</p> <p>PROVIDING EXTERIOR SAND FACED CEMENT PLASTER 20 MM THICK IN TWO LAYERS (FIRST LAYER OF 14 MM AND SECOND LAYER OF 6 MM THICKNESS) IN</p>					

REGISTERED OFFICE INDIA POWER CORPORATION LIMITED PLOT NO: X -1,2& 3 BLOCK EP, SECTOR-V,SALT LAKE CITY, KOLKATA-700091 P : +91 33 6609 4300 / 08 / 09 / 10 F : +91 33 2357 2452 CST No : 19740080255 ,VAT No : 19740080061		CENTRAL OFFICE : INDIA POWER CORPORATION LIMITED SANCTORIA P.O : DISHERGARH DIST , BURDWAN-713333 , W.B. P : +91 341 6600 454 / 455 / 456 / 457 F : +91 341 6600 464		 Adding power to life 	
CEMENT MORTAR 1:4 USING APPROVED QUALITY SAND FOR SECOND LAYER FINISHED OF RCC, BRICK WORK, INCLUDING SCAFFOLDING, CURING, PROVIDING BANDS, GROOVES, DRIP MOULDS ETC COMPLETE AND AS DIRECTED.					
10	11102006	PLAIN FACED CEMENT PLASTER 13MM (1:4)	Square meter	2.880	
Full Description PROVIDING PLAIN FACED CEMENT PLASTER 13 MM THICK INTERNALLY, IN CEMENT MORTAR 1:4 FOR RCC BRICK WORK INCLUDING SCAFFOLDING, CURING ETC COMPLETE.					
11	11112003	FORMWORK WITH PLY BOARD	Square meter	5.200	
Full Description PROVIDING, ERECTING AND REMOVING FORMWORK TO GIVE FAIR AND SMOOTH FINISH FOR EXPOSED CONCRETE SURFACES USING SHEETING FORMED FROM TONGUED AND GROOVED BOARDS/ PLYWOOD/ STEEL SHEETS FOR COLUMNS, WALLS ETC CONCRETE WORKS AT ALL ELEVATIONS BELOW OR ABOVE GRADE LEVEL AND FOR ALL SHAPES INCLUDING SCAFFOLDING, CENTERING, BRACING, PROVIDING OPENINGS/ CUT-OUT/ POCKETS ETC COMPLETE AS PER SPECIFICATION AND AS DIRECTED BY ENGINEER.					
12	11108001	SUPPLY, FIXING HYSD BARS (IS1139 / IS1786)	Tonne	0.070	
Full Description SUPPLYING, CLEANING, CUTTING, LAPPING, BENDING, PLACING AND FIXING IN POSITION OF HIGH YIELD STRENGTH DEFORMED BARS AT ALL LEVELS AND LOCATIONS FOR ALL STRUCTURES INCLUDING BINDING WITH 16 GAUGE SOFT ANNEALED BLACK WIRE ETC COMPLETE AND AS DIRECTED (NO PAYMENT WILL BE MADE FOR BENDING WIRES, SPACERS, CHAIRS, SUPPORTS ETC)					
13	11105009	2 COATS OF COLOUR / LIME WASH	Square meter	36.640	
Full Description Providing & applying of 2 coats of Lime / Colour Wash over a coat of white wash after preparation of surface etc. complete & as directed.					
14	11104014	COLOUR GZD CERAMIC TILES DADO	Square meter	14.000	
Full Description PROVIDING AND LAYING APPROVED COLOUR GLAZED CERAMIC TILES 150 MM X					

REGISTERED OFFICE INDIA POWER CORPORATION LIMITED PLOT NO: X -1,2& 3 BLOCK EP, SECTOR-V,SALT LAKE CITY, KOLKATA-700091 P : +91 33 6609 4300 / 08 / 09 / 10 F : +91 33 2357 2452 CST No : 19740080255 ,VAT No : 19740080061	CENTRAL OFFICE : INDIA POWER CORPORATION LIMITED SANCTORIA P.O : DISHERGARH DIST , BURDWAN-713333 , W.B. P : +91 341 6600 454 / 455 / 456 / 457 F : +91 341 6600 464	 
---	--	---

150 MM X 5 MM THICK IN FLOORS OVER 20 MM THICK CEMENT MORTAR 1:3 BEDDING INCLUDING POINTING THE JOINTS WITH NEAT WHITE CEMENT, CLEANING, WASHING ETC COMPLETE BUT IN SKIRTING/ DADO WORK WITH 12 MM THICK CEMENT MORTAR 1:2 BACKING INCLUDING NECESSARY ANGLE CORNER PIECES, APPROVED COLOURED BORDER ON THE TOP ETC COMPLETE.

15	11107045	PVC PIPE LINE 15 MM NB	Meter	8.000	
Full Description Providing and fixing approved quality PVC water pipes with all G.I. Accessories such as bend, tee, union, elbow, socket, plug etc. complete with testing of all internal and external works, materials etc. and as directed. 15mm N.B.					
16	11107093	PVC PIPE LINE 25 MM NB	Meter	6.000	
Full Description Providing and fixing approved quality PVC water pipes with all G.I. Accessories such as bend, tee, union, elbow, socket, plug etc. complete with testing of all internal and external works, materials etc. and as directed. 25mm N.B.					
17	11107046	GM WHEEL VALVE 15 MM NB	each	1.000	
Full Description Providing and fixing G.M. wheel valve 15mm N.B.					
18	11107051	PVC BIB COCK 12 MM DIA.	each	4.000	
Full Description Providing AND fixing of approved quality PVC bib cock 12mm dia.					
19	11107048	PVC DOWN TAKE PIPE	Meter	10.000	
Full Description Providing, fixing and jointing 150mm Dia PVC Rainwater down take pipes with standard MS fixing clamps including fittings such as Bends, Shews, junctions, Sawn neck etc.complete and as directed.					
20	11107094	SUPPLY FIXING HDPE OVERHEAD TANK	each	1.000	
Full Description SUPPLYING AND ERECTING IN POSITION SYNTAX MAKE HDPE OVERHEAD TANK OF CAPACITY 500 LTRS INCLUDING PROVIDING ALL ACCESSORIES SUCH AS INLET, OUTLET, WASHOUT, AND OVERFLOW NOZZLES, MANHOLE WITH COVERS, BALL VALVE, WHEEL VALVE, ETC COMPLETE INCLUDING PROVIDING NECESSARY					

REGISTERED OFFICE INDIA POWER CORPORATION LIMITED PLOT NO: X -1,2& 3 BLOCK EP, SECTOR-V,SALT LAKE CITY, KOLKATA-700091 P : +91 33 6609 4300 / 08 / 09 / 10 F : +91 33 2357 2452 CST No : 19740080255 ,VAT No : 19740080061	CENTRAL OFFICE : INDIA POWER CORPORATION LIMITED SANCTORIA P.O : DISHERGARH DIST , BURDWAN-713333 , W.B. P : +91 341 6600 454 / 455 / 456 / 457 F : +91 341 6600 464	 Adding power to life 
---	--	---

SADDLES AND TESTING THE TANK TO SATISFACTION OF THE ENGINEER.

21	11107011	SPLY FIX INDIAN CLOSET & LOW LVL CISTERN	each	1.000	
----	----------	--	------	-------	--

Full Description

SUPPLYING AND FIXING APPROVED MAKE WHITE GLAZED VITREOUS CHINA SIPHONIC INDIAN TYPE WATER CLOSET OF SIZE 580 MM PAN WITH P OR S TRAP SET IN BRICK BAT COBA, FOOT RESTS 250 MM X 125 MM WITH LOW LEVEL CISTERN OF 10 LTRS CAPACITY WITH BALL VALVE CHAIN AND HANDLE WALL MOUNTED CI BRACKETS, 32 MM DIA GI DIA TELESCOPIC FLUSH PIPE, 12 MM DIA GI OVERFLOW PIPE UPTO FLOOR LEVEL WITH NECESSARY CONNECTIONS INCLUDING PAINTING WITH TWO COATS OF ZINC OXIDE ANTICORROSIVE PAINT OVER A COAT OF PRIMER TO CISTERN AND BRACKETS AND TWO COATS OF ANTICORROSIVE PAINT TO INSIDE SURFACES OF CISTERN ETC COMPLETE.

22	11107095	FLAT BACK URINALS(HALF STALL URINAL)	each	1.000	
----	----------	--------------------------------------	------	-------	--

Full Description

SUPPLYING, FITTING & FIXING FLAT BACK URINAL (HALF STALL URINAL) IN WHITE VITREOUS CHINAWARE OF APPROVED MAKE IN POSITION WITH BRASS SCREWS ON 75MM x 75MM x 75MM WOODEN BLOCKS COMPLETE. 470MM X 280 MM x 340MM ALL COMPLETE AS DIRECTED.

23	11107009	SUPPLY FIXING SOIL PIPES 75MM DIA	Meter	2.000	
----	----------	-----------------------------------	-------	-------	--

Full Description


SUPPLYING AND FIXING CI SOIL/WASTE PIPES, 75MM DIA, OF CLASS-A WITH CI CLAMPS ON THE OUTSIDE OF WALLS INCLUDING SHOES, BENDS, BRANCHES, OFFSETS, CONNECTORS, INSPECTION VENTS AND ALL SPECIALS PERFECT AIR AND WATER TIGHT JOINTS WITH NECESSARY SCAFFOLDING AND PAINTING WITH TWO COATS OF APPROVED MAKE SYNTHETIC ENAMEL PAINT OVER A COAT OF ZINC RICH PRIMER, MAKING GOOD CHASES/ OPENING ETC COMPLETE.

Instructions for submission of offer:

The offer should be submitted as per following format.

1	2	3	4	5	6	7
Item	Uom	Qty	Rate(Rs)	Amount (Rs) 3X4	GST in % (If applicable)	Total Amount (5+6)

Total Quoted Price	
--------------------	--

<p>REGISTERED OFFICE INDIA POWER CORPORATION LIMITED PLOT NO: X -1,2& 3 BLOCK EP, SECTOR-V,SALT LAKE CITY, KOLKATA-700091 P : +91 33 6609 4300 / 08 / 09 / 10 F : +91 33 2357 2452 CST No : 19740080255 ,VAT No : 19740080061</p>	<p>CENTRAL OFFICE : INDIA POWER CORPORATION LIMITED SANCTORIA P.O : DISHERGARH DIST , BURDWAN-713333 , W.B. P : +91 341 6600 454 / 455 / 456 / 457 F : +91 341 6600 464</p>	
---	---	--

Mode of Submission of Offer :

"PLEASE SUBMIT YOUR OFFER DULY INCORPORATING GST CODE AND HSN/SAC NO "
OUR GST NO - 19AABCD0340G1Z4

Offer must be submitted mentioning our Enquiry Number, Enquiry Date and the due date of opening. Envelopes without any Enquiry No. Shall be rejected.

TENDER OPENING PROCESS

TENDERS AS RECEIVED SHALL BE OPENED IN PRESENCE OF INTERESTED BIDDERS AND EXECUTIVES OF IPCL AS ASSINED. TENDERS SHALL BE OPENED AT PURCHASE DEPARTMENT, HEAD OFFICE ON 10.10.2023 AT 16.00 HRS.

TENDER SHALL BE SUBMITTED AT CENTRAL OFFICE UPTO 12 HRS ON DUE DATE.

IPCL will not be responsible for any postal/courier delay in receiving offers. To avoid delay, proper care should be taken. Your complete offer as per our price format along with your terms and conditions is to be submitted at the address of the Issuing Office either by hand or by speed post/courier.


IPCL is not bound to accept any bid or lowest bid as received and can decide otherwise during order placement.

Terms & Conditions mentioned herein can be changed or additionally interested after negotiation and on mutual agreement during order placement.

TERMINATION

IPCL MAY CANCEL SPLIT, TERMINATE AND ACCEPT BID OTHER THAN THE LOWEST BID RECEIVED AGAINST THIS TENDER OR ANY OTHER BID EITHER DURING OR AFTER ENQUIRY OR EVEN AFTER ORDER PLACEMENT WITHOUT ASSIGNING ANY REASON.

FORCE MAJEURE CLAUSE AS PER IPCL NORMS SHALL BE ACCEPTABLE TO BOTH PURCHASE AND SELLER.

<p>REGISTERED OFFICE INDIA POWER CORPORATION LIMITED PLOT NO: X -1,2& 3 BLOCK EP, SECTOR-V,SALT LAKE CITY, KOLKATA-700091 P : +91 33 6609 4300 / 08 / 09 / 10 F : +91 33 2357 2452 CST No : 19740080255 ,VAT No : 19740080061</p>	<p>CENTRAL OFFICE : INDIA POWER CORPORATION LIMITED SANCTORIA P.O : DISHERGARH DIST , BURDWAN-713333 , W.B. P : +91 341 6600 454 / 455 / 456 / 457 F : +91 341 6600 464</p>	
---	---	--

Mode of Submission of Offer :

RISK PURCHASE CLAUSE AND LIQUIDATED DAMAGES CLAUSE SHALL BE APPLICABLE AS PER DPSC NORMS UNLESS WITHDRAWN SPECIFICALLY.

PAYMENT TERMS

We prefer a 30 days credit period. We shall try to make payment against your bill/invoice on receipt of material/goods and services in proper condition and after 30 days from the date of receipt of your invoice at IPCL. However delayed payments shall not carry any interest. You may mention your own terms & conditions if above is not acceptable.

Deviation from standard payment term may carry negative points during price evaluation.

OTHERS

If your organisation is registered under Micro, Small & Medium Enterprise Act 2006, you are required to submit the requisite document in support of that along with offer. If you do not submit any such document we shall consider you as SME Vendor & no benefit as allowed in the said law shall be applicable in your said case.

If you are a non registered vendor of IPCL, you are requested to submit the additional information's as may be called for if required.

- 1),,COPY OF LABOUR LICENSE
- 2),,PROVIDENT FUND REGISTRATION.
- 3),,ESI REGISTRATION.
- 4),,TRADE LICENSE
- 5) SERVICE TAX REGISTRATION / APPLICATION FOR SERVICE TAX REGISTRATION


PF & ESI SHALL BE APPLICABLE IN THIS ENQUIRY.

BIDDER SHALL ALSO COMPLY WITH ALL STATUTORY OBLIGATIONS.

TIME OF COMPLETION: Within 30.11.2023

REGISTERED OFFICE
INDIA POWER CORPORATION LIMITED
PLOT NO: X -1,2& 3 BLOCK EP,
SECTOR-V,SALT LAKE CITY,
KOLKATA-700091
P : +91 33 6609 4300 / 08 / 09 / 10
F : +91 33 2357 2452
CST No : 19740080255 ,VAT No : 19740080061

CENTRAL OFFICE :
INDIA POWER CORPORATION LIMITED
SANCTORIA
P.O : DISHERGARH DIST ,
BURDWAN-713333 , W.B.
P : +91 341 6600 454 / 455 / 456 / 457
F : +91 341 6600 464



Yours Faithfully
India Power Corporation Limited

Head Of Purchase