



|   |  |   |
|---|--|---|
| REGISTERED OFFICE<br>INDIA POWER CORPORATION LIMITED<br>PLOT NO: X -1,2& 3 BLOCK EP,<br>SECTOR-V,SALT LAKE City,<br>KOLKATA-700091<br>P : +91 33 6609 4300 / 08 / 09 / 10<br>F : +91 33 2357 2452<br>CST No : 19740080255 ,VAT No : 19740080061 | CENTRAL OFFICE :<br>INDIA POWER CORPORATION LIMITED<br>SANCTORIA<br>P.O : DISHERGARH DIST ,<br>BURDWAN-713333 , W.B.<br>P : +91 341 6600 454 / 455 / 456 / 457<br>F : +91 341 6600 464 | <br> |
|---|--|---|



**REQUEST FOR OFFER**

|  |  |
|--|--|
| TO : XXXXX<br><br>, 000000,<br>India<br>Ph:<br>Fax:<br>Contact person :<br>Your Vendor No with us : 101105   | Enquiry No./Collective No : 2024005991   |
|  | Enquiry Date : 06.01.2024  |
|  | BID Closing Date : 13.01.2024  |
|  | Type of security Furnished, if Required<br><br>NOT APPLICABLE  |
| Issuing Office : India Power Corporation limited<br>Plot No. X ,1,2&3, Block -EP SECTOR-V Salt Lake<br>City<br>Kolkata West Bengal 700091 India<br>P : +91 33 6609 4300/08/09/10<br>F : +91 33 2357 2452 | Contact info - MR Bibek Saha.<br>(Assistant Manager Purchase )<br>Tel - +913366094300<br>Email - bibek.saha@indiapower.com |
| Delivery To : India Power Corporation limited<br>DPS Gen. 1x12 MW<br><br>Sundarchak , Burdwan<br>West Bengal - 713360 ,India<br>P :+91 341 2510442 F :+91 341 2511900                                    |  |

Dear Sir,  
Your offer is invited for the supply of materials/providing services as per following descriptions,specification and indicated quantities.The offer should be submitted as per following format(Please submit your offer in your letter head as per format below).

| SL No. | MATERIAL NO. | MAT. DESC | UOM  | QTY    | DELIVERY DATE |
|--------|--------------|-----------|------|--------|---------------|
| 1      | 490900162N   |           | each | 12.000 | 04.02.2024    |

**Full Description**  
HAND LAMP WITH CAGE HOLDER , RUBBER HANDLE WITH DIE CAST ALUMINIUM PROTECTIVE WIRE GUARD WITH U SHAPE CLEAR GLASS AND ALUMINIUM BODY FOR FIXING PORCELAIN BC / ES LAMP HOLDER AND CONNECTOR. RUBBER GASKET FOR GLASS. WATER TIGHT AND WEATHER PROOF, SUITABLE UP TO 100W. LAMP WITH REFLECTOR.

|   |  |   |
|---|--|---|
| REGISTERED OFFICE<br>INDIA POWER CORPORATION LIMITED<br>PLOT NO: X -1,2& 3 BLOCK EP,<br>SECTOR-V,SALT LAKE City,<br>KOLKATA-700091<br>P : +91 33 6609 4300 / 08 / 09 / 10<br>F : +91 33 2357 2452<br>CST No : 19740080255 ,VAT No : 19740080061 | CENTRAL OFFICE :<br>INDIA POWER CORPORATION LIMITED<br>SANCTORIA<br>P.O : DISHERGARH DIST ,<br>BURDWAN-713333 , W.B.<br>P : +91 341 6600 454 / 455 / 456 / 457<br>F : +91 341 6600 464 | <br> |
|---|--|---|

|  |            |  |      |        |            |
|--|------------|--|------|--------|------------|
| 2  | 490900163N |  | each | 50.000 | 04.02.2024 |
| <b>Full Description</b><br>STAIN LESS STEEL I PANEL LOCK FOR OUT DOOR- ELECTRICAL JUNCTION BOX/<br>MARSELLING BOX) , SIZE: 20 MM |            |  |      |        |            |
| 3  | 370700002N |  | each | 20.000 | 04.02.2024 |
| <b>Full Description</b><br>HALOGEN LAMP 1000W  |            |  |      |        |            |
| 4  | 370700008N |  | each | 10.000 | 04.02.2024 |
| <b>Full Description</b><br>CERAMIC TYPE HOLDER WITH ADJUSTABLE STEEL FRAME SUITABLE FOR 1000<br>WATT<br>HALOGEN LAMP SET         |            |  |      |        |            |
| 5  | 291209091N |  | each | 4.000  | 04.02.2024 |
| <b>Full Description</b><br>L AND T MAKE ELECTRONIC TIMER, ET100, 9-30SEC,L AND T MAKE STAR DELTA<br>STARTER                      |            |  |      |        |            |
| 6  | 291309030N |  | each | 2.000  | 04.02.2024 |
| <b>Full Description</b><br>L&T MAKE ML4 POWER CONTACTOR 70A, AC-3, 415V, 50Hz.   |            |  |      |        |            |
| 7  | 291301015N |  | each | 2.000  | 04.02.2024 |
| <b>Full Description</b><br>L & T MAKE ML - 6 CONTRACTOR 415 VOLT   |            |  |      |        |            |
| 8  | 306907036N |  | each | 1.000  | 04.02.2024 |
| <b>Full Description</b><br>NSX250N, SCHNEIDER ELECTRIC, COMPACT NSX, TYPE NSX, 3P, 3PH, 250A, 690V,                              |            |  |      |        |            |

|   |  |   |
|---|--|---|
| REGISTERED OFFICE<br>INDIA POWER CORPORATION LIMITED<br>PLOT NO: X -1,2& 3 BLOCK EP,<br>SECTOR-V,SALT LAKE City,<br>KOLKATA-700091<br>P : +91 33 6609 4300 / 08 / 09 / 10<br>F : +91 33 2357 2452<br>CST No : 19740080255 ,VAT No : 19740080061 | CENTRAL OFFICE :<br>INDIA POWER CORPORATION LIMITED<br>SANCTORIA<br>P.O : DISHERGARH DIST ,<br>BURDWAN-713333 , W.B.<br>P : +91 341 6600 454 / 455 / 456 / 457<br>F : +91 341 6600 464 | <br> |
|---|--|---|

#50KA@415V, BOLT-ON, THERMAL MAGNETIC, MOLDED CASE CIRCUIT BREAKERS

|   |            |  |      |       |            |
|---|------------|--|------|-------|------------|
| 9 | 170102099N |  | each | 2.000 | 04.02.2024 |
|---|------------|--|------|-------|------------|

**Full Description**

SINGLE ROW DEEP GROOVE BEARING (MM SIZE) : ID 95 OD 200 TH 45  
NO 6319 C3

|    |            |  |      |       |            |
|----|------------|--|------|-------|------------|
| 10 | 296009092N |  | each | 2.000 | 04.02.2024 |
|----|------------|--|------|-------|------------|

**Full Description**

SCHNEIDER MK AUX CONTACTOR 230 V AC 2NO+2NC TYPE CA2-KN40

|    |            |  |      |       |            |
|----|------------|--|------|-------|------------|
| 11 | 291309017N |  | each | 2.000 | 04.02.2024 |
|----|------------|--|------|-------|------------|

**Full Description**

L&T MAKE THERMAL OVERLOAD RELAY SUITABLE FOR ML-1 CONTACTOR,  
RANGE 1.5-  
2.5 A, CAT NO. 90035

|    |            |  |      |       |            |
|----|------------|--|------|-------|------------|
| 12 | 291309018N |  | each | 1.000 | 04.02.2024 |
|----|------------|--|------|-------|------------|

**Full Description**

L&T MAKE THERMAL OVERLOAD RELAY SUITABLE FOR ML-1 CONTACTOR,  
RANGE 4-6.5  
A, CAT NO. SS90850

|    |            |  |      |       |            |
|----|------------|--|------|-------|------------|
| 13 | 300802005N |  | each | 3.000 | 04.02.2024 |
|----|------------|--|------|-------|------------|


**Full Description**

L & T MK. FUSE LINK HN TYPE 160 A-SF94231, 500 VOLTS

|    |            |  |      |       |            |
|----|------------|--|------|-------|------------|
| 14 | 305403010N |  | each | 6.000 | 04.02.2024 |
|----|------------|--|------|-------|------------|

**Full Description**

EE MAKE HRC FUSE 63A 415 VOLT, TIS63 TYPE

|   |  |   |
|---|--|---|
| REGISTERED OFFICE<br>INDIA POWER CORPORATION LIMITED<br>PLOT NO: X -1,2& 3 BLOCK EP,<br>SECTOR-V,SALT LAKE City,<br>KOLKATA-700091<br>P : +91 33 6609 4300 / 08 / 09 / 10<br>F : +91 33 2357 2452<br>CST No : 19740080255 ,VAT No : 19740080061 | CENTRAL OFFICE :<br>INDIA POWER CORPORATION LIMITED<br>SANCTORIA<br>P.O : DISHERGARH DIST ,<br>BURDWAN-713333 , W.B.<br>P : +91 341 6600 454 / 455 / 456 / 457<br>F : +91 341 6600 464 | <br> |
|---|--|---|

|  |  |  |  |  |  |
|--|--|--|--|--|--|
|  |  |  |  |  |  |
|--|--|--|--|--|--|

|    |            |  |      |       |            |
|----|------------|--|------|-------|------------|
| 15 | 305403009N |  | each | 4.000 | 04.02.2024 |
|----|------------|--|------|-------|------------|

|   |  |  |  |  |  |
|---|--|--|--|--|--|
| <b>Full Description</b><br>EE MAKE HRC FUSE 415V, 160A, HM TYPE |  |  |  |  |  |
|---|--|--|--|--|--|

|    |            |  |      |       |            |
|----|------------|--|------|-------|------------|
| 16 | 298000062N |  | each | 1.000 | 04.02.2024 |
|----|------------|--|------|-------|------------|

|  |  |  |  |  |  |
|--|--|--|--|--|--|
| <b>Full Description</b><br>L & T MAKE TIMER 9 - 30SE, ET - 100, 240 / 415 VOLT |  |  |  |  |  |
|--|--|--|--|--|--|

|    |            |  |      |       |            |
|----|------------|--|------|-------|------------|
| 17 | 300603007N |  | each | 5.000 | 04.02.2024 |
|----|------------|--|------|-------|------------|

|   |  |  |  |  |  |
|---|--|--|--|--|--|
| <b>Full Description</b><br>L&T MAKE HF 14X51 TYPE, 415V, 6AMPS FUSE |  |  |  |  |  |
|---|--|--|--|--|--|

|    |            |  |      |       |            |
|----|------------|--|------|-------|------------|
| 18 | 300603008N |  | each | 5.000 | 04.02.2024 |
|----|------------|--|------|-------|------------|

|  |  |  |  |  |  |
|--|--|--|--|--|--|
| <b>Full Description</b><br>L&T MAKE HF 14X51 TYPE, 415V, 4 AMPS FUSE |  |  |  |  |  |
|--|--|--|--|--|--|


|    |            |  |      |       |            |
|----|------------|--|------|-------|------------|
| 19 | 301403012N |  | each | 5.000 | 04.02.2024 |
|----|------------|--|------|-------|------------|

|  |  |  |  |  |  |
|--|--|--|--|--|--|
| <b>Full Description</b><br>GE OR ANY REPUTED MAKE HBC FUSE LINK,NS TYPE,415V,10AMPS,80KA |  |  |  |  |  |
|--|--|--|--|--|--|


|    |            |  |      |        |            |
|----|------------|--|------|--------|------------|
| 20 | 300602019N |  | each | 10.000 | 04.02.2024 |
|----|------------|--|------|--------|------------|

|  |  |  |  |  |  |
|--|--|--|--|--|--|
| <b>Full Description</b><br>L and T OR ANY REPUTED MAKE HF TYPE 6A, 415 V, CYLINDRICAL TYPE,14X51 SIZE HRC FUSE |  |  |  |  |  |
|--|--|--|--|--|--|

|  |  |  |  |  |  |
|--|--|--|--|--|--|
|  |  |  |  |  |  |
|--|--|--|--|--|--|

|   |  |   |
|---|--|---|
| REGISTERED OFFICE<br>INDIA POWER CORPORATION LIMITED<br>PLOT NO: X -1,2& 3 BLOCK EP,<br>SECTOR-V,SALT LAKE City,<br>KOLKATA-700091<br>P : +91 33 6609 4300 / 08 / 09 / 10<br>F : +91 33 2357 2452<br>CST No : 19740080255 ,VAT No : 19740080061 | CENTRAL OFFICE :<br>INDIA POWER CORPORATION LIMITED<br>SANCTORIA<br>P.O : DISHERGARH DIST ,<br>BURDWAN-713333 , W.B.<br>P : +91 341 6600 454 / 455 / 456 / 457<br>F : +91 341 6600 464 | <br>Adding power to life<br> |
|---|--|---|

|  |            |  |      |       |            |
|--|------------|--|------|-------|------------|
| 21   | 296009167N |  | each | 2.000 | 04.02.2024 |
| <b>Full Description</b><br>SCHNEIDER MAKE (LC1E1810) AC3-18A TP POWER CONTACTOR, 230V AC |            |  |      |       |            |
| 22   | 296009169N |  | each | 2.000 | 04.02.2024 |
| <b>Full Description</b><br>SCHNEIDER MAKE (LC1E0910) AC3-9A TP POWER CONTACTOR, 230V AC  |            |  |      |       |            |
| 23   | 296009118N |  | each | 2.000 | 04.02.2024 |
| <b>Full Description</b><br>SCHNEIDER MAKE 16A TP CONTACTOR 230V AC LC1E1810              |            |  |      |       |            |
| 24   | 490900164N |  | each | 6.000 | 04.02.2024 |
| <b>Full Description</b><br>Borosil make 1000 ml Glass Jar                                |            |  |      |       |            |
| 25   | 306400009N |  | each | 6.000 | 04.02.2024 |
| <b>Full Description</b><br>L&T MK SUPERNOVA MOG-H1-0160 TYPE ISOLATOR                    |            |  |      |       |            |
| 26   | 296009437N |  | each | 6.000 | 04.02.2024 |
| <b>Full Description</b><br>ABB Make HK-11 Auxiliary contact, 6A, 690 V                   |            |  |      |       |            |
| 27   | 296009438N |  | each | 6.000 | 04.02.2024 |
| <b>Full Description</b><br>ABB Make SK-11 Auxiliary contact, 6A, 690 V                   |            |  |      |       |            |
| 28   | 296009439N |  | each | 2.000 | 04.02.2024 |
| <b>Full Description</b><br>ABB MS325, 16-20A, 690V, Ie-20A AC3, 60KA MPCB                |            |  |      |       |            |
| 29   | 296009440N |  | each | 4.000 | 04.02.2024 |
| <b>Full Description</b><br>ABB Make Power Contactor A26-30-01                            |            |  |      |       |            |

|   |  |   |
|---|--|---|
| REGISTERED OFFICE<br>INDIA POWER CORPORATION LIMITED<br>PLOT NO: X -1,2& 3 BLOCK EP,<br>SECTOR-V,SALT LAKE City,<br>KOLKATA-700091<br>P : +91 33 6609 4300 / 08 / 09 / 10<br>F : +91 33 2357 2452<br>CST No : 19740080255 ,VAT No : 19740080061 | CENTRAL OFFICE :<br>INDIA POWER CORPORATION LIMITED<br>SANCTORIA<br>P.O : DISHERGARH DIST ,<br>BURDWAN-713333 , W.B.<br>P : +91 341 6600 454 / 455 / 456 / 457<br>F : +91 341 6600 464 | <br> |
|---|--|---|

|    |            |  |      |        |            |
|----|------------|--|------|--------|------------|
| 30 | 370900089N |  | each | 10.000 | 04.02.2024 |
|----|------------|--|------|--------|------------|

**Full Description**

40 Watt hanging type Well Glass High Bay LED light for Industrial use (IP65). Make- Havells, Model No. STUPE WG 40W

|    |            |  |      |       |            |
|----|------------|--|------|-------|------------|
| 31 | 370900090N |  | each | 6.000 | 04.02.2024 |
|----|------------|--|------|-------|------------|

**Full Description**

LED 30 Watt 600 mm x 600 mm (2feet x 2 feet) Square panel light for indoor false Ceiling. Make:- Havells / Similar

|    |            |  |      |       |            |
|----|------------|--|------|-------|------------|
| 32 | 291201094N |  | each | 1.000 | 04.02.2024 |
|----|------------|--|------|-------|------------|

**Full Description**

L AND T / SCHNEIDER (ACTIVA) MAKE TP POWER CONTRACTOR AV 1 11522 , 2NO+ 2NC , AC3-115A ,COIL VOLTAGE 110,50Hz,56 KW AUX CONTRACTOR - AC15/ (L AND T MNX140)

|    |            |  |      |        |            |
|----|------------|--|------|--------|------------|
| 33 | 310900575N |  | each | 20.000 | 04.02.2024 |
|----|------------|--|------|--------|------------|

**Full Description**

36W LED tube light wall mount

Instructions for submission of offer:

The offer should be submitted as per following format.

| 1    | 2   | 3   | 4        | 5               | 6                     | 7                           | 8                        | 9                      |
|------|-----|-----|----------|-----------------|-----------------------|-----------------------------|--------------------------|------------------------|
| Item | UOM | Qty | Rate(Rs) | Amount (Rs) 3X4 | Pkg & Forwd As % of 5 | Freight & Transit Insurance | GST in % (if applicable) | Total Amount (5+6+7+8) |
|      |     |     |          |                 |                       |                             |                          |                        |

|  |  |
|--|--|
| Amount Including P&F,ED,ST/VAT(9)                      |  |
| Freight (10)+VAT on Freight (11)+Transit Insurance(12) |  |
| Total Quoted Price(9+10+11+12)                         |  |

**Mode of Submission of Offer :**

PLEASE SUBMIT YOUR OFFER DULY INCORPORATING GST CODE AND HSN/SAC NO  
OUR GST NO - 19AABCD0340G1Z4

Offer must be submitted mentioning our Enquiry Number, Enquiry Date and

|   |   |  |
|---|---|--|
| <p>REGISTERED OFFICE<br/>INDIA POWER CORPORATION LIMITED<br/>PLOT NO: X -1,2&amp; 3 BLOCK EP,<br/>SECTOR-V,SALT LAKE City,<br/>KOLKATA-700091<br/>P : +91 33 6609 4300 / 08 / 09 / 10<br/>F : +91 33 2357 2452<br/>CST No : 19740080255 ,VAT No : 19740080061</p> | <p>CENTRAL OFFICE :<br/>INDIA POWER CORPORATION LIMITED<br/>SANCTORIA<br/>P.O : DISHERGARH DIST ,<br/>BURDWAN-713333 , W.B.<br/>P : +91 341 6600 454 / 455 / 456 / 457<br/>F : +91 341 6600 464</p> |  |
|---|---|--|

the due date of opening. Envelopes without any Enquiry No. Shall be rejected.

#### TENDER OPENING PROCESS

TENDERS AS RECEIVED SHALL BE OPENED IN PRESENCE OF INTERESTED BIDDERS AND EXECUTIVES OF IPCL AS ASSINED. TENDERS SHALL BE OPENED AT PURCHASE DEPARTMENT, HEAD OFFICE ON 13.02.2024 AT 16.00 HRS.

TENDER SHALL BE SUBMITTED AT HEAD OFFICE UPTO 12 HRS ON DUE DATE.

IPCL will not be responsible for any postal/courier delay in receiving offers. To avoid delay, proper care should be taken. Your complete offer as per our price format along with your terms and conditions is to be submitted at the address of the Issuing Office either by hand or by speed post/courier.

IPCL is not bound to accept any bid or lowest bid as received and can decide otherwise during order placement.

Terms & Conditions mentioned herein can be changed or additionally interested after negotiation and on mutual agreement during order placement.

#### TERMINATION

IPCL MAY CANCEL SPLIT, TERMINATE AND ACCEPT BID OTHER THAN THE LOWEST BID RECEIVED AGAINST THIS TENDER OR ANY OTHER BID EITHER DURING OR AFTER ENQUIRY OR EVEN AFTER ORDER PLACEMENT WITHOUT ASSIGNING ANY REASON.

FORCE MAJEURE CLAUSE AS PER IPCL NORMS SHALL BE ACCEPTABLE TO BOTH PURCHASE AND SELLER.

RISK PURCHASE CLAUSE AND LIQUIDATED DAMAGES CLAUSE SHALL BE APPLICABLE AS PER DPSC NORMS UNLESS WITHDRAWN SPECIFICALLY.

#### PAYMENT TERMS

We prefer a 30 days credit period. We shall try to make payment against your bill/invoice on receipt of material/goods and services in proper condition and after 30 days from the date of receipt of your invoice at

REGISTERED OFFICE  
INDIA POWER CORPORATION LIMITED  
PLOT NO: X -1,2& 3 BLOCK EP,  
SECTOR-V,SALT LAKE City,  
KOLKATA-700091  
P : +91 33 6609 4300 / 08 / 09 / 10  
F : +91 33 2357 2452  
CST No : 19740080255 ,VAT No : 19740080061

CENTRAL OFFICE :  
INDIA POWER CORPORATION LIMITED  
SANCTORIA  
P.O : DISHERGARH DIST ,  
BURDWAN-713333 , W.B.  
P : +91 341 6600 454 / 455 / 456 / 457  
F : +91 341 6600 464



IPCL. However delayed payments shall not carry any interest. You may mention your own terms & conditions if above is not acceptable. Deviation from standard payment term may carry negative points during price evaluation.

#### OTHERS

Materials delivery at our DPS unit,Asansol.

Desired delivery within 04.02.2024

If your organisation is registered under Micro, Small & Medium Enterprise Act 2006, you are required to submit the requisite document in support of that along with offer. If you do not submit any such document we shall consider you as SME Vendor & no benefit as allowed in the said law shall be applicable in your said case.

**BIDDER SHALL ALSO COMPLY WITH ALL STATUTORY OBLIGATIONS.**

Bidders are requested to contact user department at HO to assess the actual job before submission of their offer.

Yours Faithfully  
India Power Corporation Limited

Head Of Purchase